List of Contents

Abstract		i
Acknowledgements		iii
List of content	īS (v
List of figures		XV
List of tables		xxiv
List of equatio	ns	xxviii
Chapter 1	Introduction	1
	1.1 Pleistocene environments and British coastal	
	lowlands	1
	1.2 Study area description	1
	1.3 Relevance of this research	3
	1.4 Research aim and objectives	4
	1.5 Thesis structure	5
Chapter 2	Pleistocene environmental change in Britain	6
	2.1 Introduction	6
	2.2 Terminology	6
	2.2.1 The Quaternary period	7
	2.3 Overview of Pleistocene environmental change	8
	2.4 Chronostratigraphy of the Pleistocene Epoch	9
	2.4.1 Marine oxygen isotope sequences	9
	2.4.2 Antarctic and Greenland ice-core records	10
	2.4.3 Dansgaard-Oeschger and Heinrich Events	12
	2.4.4 Correlation of terrestrial, marine	
	2.4.4 Correlation of terrestrial, marine	

and ice-core records132.5 British Pleistocene stratigraphic framework15

2.5.1 The 'Named Stages' classification model 15

	2.5.2 Correlation of sediments with MIS	19
	2.6 Extent of British Pleistocene deposits	21
	2.6.1 Extent of Pleistocene glacial deposits	21
	2.6.2 Extent of Pleistocene temperate stage deposits	23
	2.7 Geomorphological record of British Pleistocene	
	environmental change	25
	2.8 Pleistocene environments in the	
	Bristol Channel/Severn Estuary region	29
	2.8.1 Coastal landforms and deposits	30
	2.8.2 Glacial landforms and deposits	33
	2.8.3 Periglacial landforms and deposits	37
	2.8.4 Fluvial landforms and deposits	38
	2.8.5 Palaeontological evidence	39
Chapter 3	Quaternary environmental change in the Gordano	
	Valley	40
	3.1 Introduction	40
	3.2 The solid geology of the Gordano Valley	40
	3.3 Research on Pleistocene palaeoenvironments	
	in the Gordano Valley	43
	3.4 Holocene palaeoenvironmental research	
	in the Gordano Valley	58
Chapter 4	Research methodology	64
	4.1 Introduction	64
	4.2 Pilot study (core GV)	64
	4.3 Fieldwork methodology and procedures	66
	4.4 Determination of the aerial extent, surface	
	morphology and geometries of the minerogenic	
	sediments	66
	4.4.1 Choice of sampling area within the field site	67

4.4.2 Field sampling techniques	68
4.4.3 Manual coring	68
4.4.4 Aerial extent of the minerogenic sediments	71
4.4.5 Surface morphology of the minerogenic	
sediments	72
4.5 Establishing the stratigraphy and geometries	
of the minerogenic sediments	75
4.5.1 Establishing the stratigraphies of the	
minerogenic sediments	76
4.5.2 Establishing the geometries of the	
minerogenic sediments	79
4.6 Percussion cores	81
4.6.1 Locations of percussion cores for	
laboratory analysis	81
4.6.2 Method of percussion core recovery	83
4.7 Laboratory analysis of physical, chemical and	
sedimentological characteristics of sediments	84
4.7.1 Stratigraphy	84
4.7.1.1 Pilot study stratigraphy	85
4.7.2 Bulk sample preparation	87
4.7.3 Organic matter and total carbonate content	88
4.7.3.1 Pilot study organic matter and total	
carbonate content	90
4.7.4 Particle size analysis	90
4.7.4.1 Analysis of the $< -1 \phi$ fraction	92
4.7.4.2 Pre-treatment procedure for $>$ -1 ϕ fraction	93
4.7.4.3 Separation and analysis of the sand fraction	94
4.7.4.4 Analysis of the silt and clay fraction	95
4.7.4.5 Combining data from sieve and	
Accusizer analyses	95
4.7.4.6 Pilot study particle size analysis	96
4.7.5 Calculation of particle size parameters	97
4.8 Clast lithological analysis	98

4.8.1 Procedure for clast lithological analysis	99
4.8.1.1 Pilot study clast lithology	100
4.8.2 Clast surface features	102
4.8.2.1 Pilot study clast surface features	103
4.9 Clast morphological analysis	105
4.9.1 Clast shape	107
4.9.2 Clast sphericity	109
4.9.3 Pilot study clast morphology	110
4.9.4 Clast roundness	111
4.9.4.1 Pilot study clast roundness	112
4.10 Palaeontology	112
4.10.1 Molluses	113
4.10.2 Algae	113
4.10.3 Ostracods	114
4.10.4 Foraminifera	115
4.10.5 Coleoptera	116
4.10.6 Pollen and plant macrofossils	116
4.10.7 Sample preparation	117
4.10.8 Identification of fossils	118
4.10.9 Pilot study palaeontology	118
4.11 Establishing the ages of the minerogenic	
sediments	119
4.11.1 Radiocarbon dating	120
4.11.1.1 Radiocarbon dating of mollusc shells	121
4.11.1.2 Radiocarbon dating of bulk soil samples	121
4.11.2 AAR geochronology of mollusc shells	122
4.11.3 OSL dating of minerogenic sediments	123
4.12 Characterisation of sediment attributes to determine	
depositional environments	125
4.12.1 Characterisation of sediment attributes	126
4.12.2 Interpretation of post-depositional	
environments	131
4.12.2.1 Pilot study redness rating	133

	4.12.3 Use of modern analogues to determine	
	processes and environments	133
Chapter 5	The aerial extent, surface morphology and geometry	
	of the Gordano Valley Pleistocene sediments	136
	5.1 Introduction	136
	5.2 Stratigraphy and aerial extent of overlying	
	biogenic deposits	136
	5.3 Aerial extent of the Pleistocene minerogenic	
	sediments	139
	5.4 Surface morphology of the Pleistocene	
	minerogenic sediments	141
	5.4.1 Morphology of the minerogenic surface	142
	5.5 Geometries of the Pleistocene minerogenic sediments	148
	5.5.1 Key sections	149
	5.5.2 Description of Weston Moor (North) sections	149
	5.5.3 Interpretation of Weston Moor (North) sections	154
	5.5.4 Description of Weston Moor (South) sections	155
	5.5.5 Interpretation of Weston Moor (South) sections	156
	5.5.6 Description of Clapton Moor sections	157
	5.5.7 Interpretation of Clapton Moor sections	158
	5.6 Summary of aerial extent, surface morphology and	
	geometry of the Gordano Valley Pleistocene	
	minerogenic sediments	159
Chapter 6	The stratigraphy and sedimentology of the	
	Pleistocene minerogenic sediments of the Gordano	
	Valley	161
	6.1 Introduction	161
	6.2 Stratigraphy	161
	6.2.1 Stratigraphy of core PG	162

	6.2.2 Stratigraphy of core PGA	164
	6.2.3 Stratigraphy of core CGA	166
	6.2.4 Stratigraphy of core CGB	166
	6.2.5 Stratigraphy of core NR	170
	6.2.6 Stratigraphy of core CM	170
	6.2.7 Stratigraphy of core TG	174
	6.3 Particle size analysis	176
	6.4 Lithology of gravel clasts	181
	6.5 Clast morphological analysis	184
	6.6 Clast surface features	187
	6.7 Geochemical analysis	191
	6.8 Redness	194
	6.9 Palaeontology	196
	6.9.1 Molluscs	197
	6.9.2 Ostracods	198
	6.9.3 Foraminifera	201
	6.9.4 Algae	202
	6.9.5 Coleoptera	203
	6.10 Geochronology	203
Chapter 7	Characterisation of the Pleistocene minerogenic	
	sediments of the Gordano Valley	209
	7.1 Introduction	209
	7.2 Characterisation of sedimentary attributes to	
	determine the Pleistocene depositional environments	209
	7.2.1 Bivariate plots of particle size parameters	210
	7.2.2 Segment analysis	219
	7.3 Bivariate plots of gravel clast morphology	223
	7.3.1 Bivariance of gravel clast sphericity and OPI	223
	7.3.2 Bivariance of gravel clast morphology and	
	roundness	224
	7.3.3 Gravel clast morphology histograms	224

	7.4 Interpretation of sedimentary evidence of	
	depositional environments	227
	7.4.1 General sedimentary characteristics	227
	7.4.2 Sedimentary evidence	233
	7.5 Gravel provenance	236
	7.6 Palaeontology	238
	7.6.1 Pollen evidence	238
	7.6.2 Plant macrofossil evidence	239
	7.6.3 Mollusc evidence	239
	7.6.3.1 TG7 mollusc evidence	240
	7.6.3.2 TG8 mollusc evidence	241
	7.6.4 Ostracod evidence	241
	7.6.4.1 TG7 ostracod evidence	242
	7.6.4.2 TG8 ostracod evidence	243
	7.6.5 Foraminiferal evidence	244
	7.6.6 Algal evidence	244
	7.6.7 Coleoptera evidence	245
	7.6.8 Trace fossil evidence	245
	7.7 Post-depositional characteristics	246
	7.7.1 Voids, bioturbation, drab spots and haloes	246
	7.7.2 Clast surface features	247
	7.7.3 Carbonate deposits	248
	7.7.4 Geochemical analysis	252
	7.7.5 Pedogenic features	255
	7.8 Geochronology	260
Chapter 8	The Pleistocene history of the Gordano Valley	263
	8.1 Introduction	263
	8.2 Palaeoenvironmental history of core GV	263
	8.3 Palaeoenvironmental history of core PG	266
	8.4 Palaeoenvironmental history of core PGA	268
	8.5 Palaeoenvironmental history of core CGA	274

	8.6 Palaeoenvironmental history of core CGB	278
	8.7 Palaeoenvironmental history of core NR	283
	8.8 Palaeoenvironmental history of core CM	292
	8.9 Palaeoenvironmental history of core TG	297
	8.10 Summary of the depositional history of the	
	minerogenic sediments	306
	8.11 The post-depositional history of the minerogenic	
	sediments	308
	8.12 The palaeontology of the minerogenic sediments	310
	8.13 The geochronology of the minerogenic sediments	314
	8.14 Reconstruction of the Pleistocene	
	palaeoenvironments of the Gordano Valley	316
	8.14.1 Hummocky moraine	316
	8.14.2 Tidal channels	318
	8.14.3 Slope processes	318
	8.14.4 Fluvial processes	321
	8.14.5 Alluvial fan processes	323
	8.15 Synthesis of Gordano Valley Pleistocene	
	palaeoenvironments	330
	8.15.1 Pleistocene fluvial environments of the	
	Gordano Valley	332
	8.15.2 Pleistocene intertidal environments of the	
	Gordano Valley	332
	8.15.3 Pleistocene alluvial fan deposits of the	
	Gordano Valley	333
Chapter 9	The regional context of the Gordano Valley	
	Pleistocene palaeoenvironments	334
	9.1 Introduction	334
	9.2 Comparison with previous palaeoenvironmental	
	models of the Gordano Valley	334

	9.3 Regional context of the Pleistocene minerogenic	
	sediments of the Gordano Valley	336
	9.3.1 The fluvial context of the Gordano Valley	
	Pleistocene minerogenic sediments	336
	9.3.2 The palaeosol context of the Gordano Valley	
	Pleistocene minerogenic sediments	337
	9.3.3 The alluvial fan context of the Gordano Valley	
	Pleistocene minerogenic sediments	339
	9.3.4 The sea level context of the Gordano Valley	
	Pleistocene minerogenic sediments	340
	9.4 The wider significance of the Gordano Valley	
	Pleistocene environments	342
	9.4.1 Mid-Pleistocene (MIS 7)	342
	9.4.2 Devensian (MIS 5d-2)	343
Ch		247
Chapter 10	Concluding comments	347
Chapter 10	Concluding comments 10.1 Introduction	347 347
Chapter 10	Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and	347 347
Chapter 10	Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments	347 347 347
Chapter 10	Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments 10.3 Stratigraphy of the Pleistocene sedimentary	347 347 347
Chapter 10	Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments 10.3 Stratigraphy of the Pleistocene sedimentary units	 347 347 347 347
Chapter 10	Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments 10.3 Stratigraphy of the Pleistocene sedimentary units 10.4 Characterisation of the Pleistocene minerogenic	 347 347 347 347
Chapter 10	 Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments 10.3 Stratigraphy of the Pleistocene sedimentary units 10.4 Characterisation of the Pleistocene minerogenic sediments of the Gordano Valley and 	347347347347
Chapter 10	 Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments 10.3 Stratigraphy of the Pleistocene sedimentary units 10.4 Characterisation of the Pleistocene minerogenic sediments of the Gordano Valley and interpretation of their depositional environments 	 347 347 347 347 347
Chapter 10	 Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments 10.3 Stratigraphy of the Pleistocene sedimentary units 10.4 Characterisation of the Pleistocene minerogenic sediments of the Gordano Valley and interpretation of their depositional environments 10.5 Geochronology of the Pleistocene minerogenic 	 347 347 347 347 350
Chapter 10	 Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments 10.3 Stratigraphy of the Pleistocene sedimentary units 10.4 Characterisation of the Pleistocene minerogenic sediments of the Gordano Valley and interpretation of their depositional environments 10.5 Geochronology of the Pleistocene minerogenic sediments of the Gordano Valley 	 347 347 347 347 350 350
Chapter 10	 Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments 10.3 Stratigraphy of the Pleistocene sedimentary units 10.4 Characterisation of the Pleistocene minerogenic sediments of the Gordano Valley and interpretation of their depositional environments 10.5 Geochronology of the Pleistocene minerogenic sediments of the Gordano Valley 10.6 Revised model of Pleistocene events in the 	 347 347 347 347 350 350
Chapter 10	 Concluding comments 10.1 Introduction 10.2 Aerial extent, surface morphology and geometries of the Pleistocene sediments 10.3 Stratigraphy of the Pleistocene sedimentary units 10.4 Characterisation of the Pleistocene minerogenic sediments of the Gordano Valley and interpretation of their depositional environments 10.5 Geochronology of the Pleistocene minerogenic sediments of the Gordano Valley 10.6 Revised model of Pleistocene events in the Gordano Valley 	 347 347 347 347 347 350 350 351

References

355

Appendices (on CD ROM)

Appendix I	Stratigraphic descriptions of manual cores
Appendix II	Stratigraphic descriptions of percussion cores
Appendix III	Particle size analysis data and particle size
	distribution histograms
Appendix IV	Gravel analysis data
Appendix V	Health and Safety and Ethical Considerations for Gordano Valley Research

List of figures

Chapter 1 Introduction

Figure 1.1: Location of the Gordano Valley	2
Figure 1.2: Proximity of the Gordano Valley to the maximum extent of	
Devensian ice in south Wales	3

Chapter 2 Pleistocene environmental change in Britain

Figure 2.1: Age of Marine Isotope Stages	10
Figure 2.2: Antarctic temperature change based on changes in δD over	
approximately the past 800 000 years showing close agreement with	
MIS and comparison with NGRIP ice-core record, including	
Dansgaard-Oeschger Events	11
Figure 2.3: Extent of Anglian (MIS 12) and Devensian (MIS 5d-2)	
glaciations in southern England and Wales	23
Figure 2.4: Location of lowland Pleistocene sites in the	
Bristol Channel/Severn Estuary region	29
Figure 2.5: Pre-Devensian (MIS 6, 8 or 12) and Devensian (MIS 2)	
glacial limits on the Gower Peninsula	34
Figure 2.6: A. Inferred extent of Anglian glaciation in the	
Bristol Channel/Severn Estuary showing directions of	
ice movement. B. Inferred extent and direction of ice flow of	
pre-MIS 15 glaciation of Somerset lowlands. C. Inferred	
pre-MIS 15 ice movement across North Somerset	36

Chapter 3 Quaternary environmental change in the Gordano Valley

Figure 3.1: Geology of the Gordano Valley	42
Figure 3.2: Pleistocene sites in the Gordano Valley	43
Figure 3.3: Location of Court Hill gravels	44

Figure 3.4: Court Hill Col. A. Location of Court Hill Col.	
B. Photograph of Court Hill Col. C. Schematic cross-section	
through the Pleistocene deposits at Court Hill Col	46
Figure 3.5: Tickenham Col. A. Location of Tickenham Col.	
B. Setting of Tickenham Col	46
Figure 3.6: A. Location of Nightingale Valley and Portishead Down.	
B. Setting of Nightingale Valley and Portishead Down.	
C. Nightingale Valley. D. Cross-section showing the Quaternary	
sequence at Nightingale Valley	47
Figure 3.7: A. Location and setting of East Clevedon Gap. B.	
Location and setting of Walton Valley	49
Figure 3.8: A. Location of Weston in Gordano site. B. Cross-section of	
the Quaternary deposits at Weston in Gordano	51
Figure 3.9: A. Location of Holly Lane. B. Sketch map of location	
of Holly Lane sections. C. and D. Cross-sections of deposits at	
Holly Lane	52
Figure 3.10: A. Locations of Clapton Wick Nurseries and Wynhol.	
B. Section through Wynhol periglacial deposits. C. Section through	
Clapton Wick Nurseries Pleistocene deposits. D. Wynhol looking	
southeast	54
Figure 3.11 Coring strategy of Jefferies et al. (1968, Figure 1)	
showing transects (T1-T7) and location of cores DB1 and DB2	59
Figure 3.12: Contour model of the 'basal sands' in the Gordano Valley	
showing two basins and the approximate location of the sediment ridge	60
Figure 3.13: A. Area sampled by Hill (2006). B. Surfer®	
reconstruction of surface topography of the Pleistocene sands.	
C. Three-dimensional Surfer® reconstruction of surface topography	
of the Pleistocene sands	61

Chapter 4 Research methodology

Figure 4.1: Key areas with	n the Gordano Valley	65
----------------------------	----------------------	----

Figure 4.2: Location of field site showing sampling area and	
cross- and down-valley transects	67
Figure 4.3: A. Field identity letters used during field work.	
B. Example of sampling grids applied during fieldwork	70
Figure 4.4: Coring scheme for a field west of Weston Drove	71
Figure 4.5: Manual core sampling sites imposed on study site	73
Figure 4.6: Approximate areas of Surfer® plots	75
Figure 4.7: Example of a stratigraphic log drawn up from field record	77
Figure 4.8: Notation and symbols used in the field	77
Figure 4.9: Diagram showing how a series of stratigraphies were linked	
together to provide a two-dimensional impression of changes in thickness	
and geometries of the Gordano Valley Pleistocene sedimentary units	80
Figure 4.10: Diagram showing a three-dimensional representation of the	
geometries of sedimentary units from aggregated two-dimensional	
transect diagrams	81
Figure 4.11: Locations of percussion cores	82
Figure 4.12: Section diagrams showing locations of cores	
PG/PGA and TG in relation to topographic variation	83
Figure 4.13: Key to symbols used in stratigraphic logs	85
Figure 4.14: A. Stratigraphy of core GV. B. Detail of GV5 gravel.	
C. Detail of GV3 gravel. D. Surface of bedrock	
(Mercia Mudstone Group) from GV1	86
Figure 4.15: Flow chart outlining the procedures adopted for clast	
lithological analysis	101
Figure 4.16: Measurements of clast diameters	108
Figure 4.17: Clast shapes plotted according to Sneed & Folk (1958)	109
Figure 4.18: Environmental parameters derived from the analysis of	
modern environments	128
Figure 4.19: Triangular diagram showing segment analysis environmental	
envelopes	129

Chapter 5 The aerial extent, surface morphology and geometry of the Gordano Valley Pleistocene sediments

Figure 5.1: Variations in Weston Moor biogenic mud deposits. A.	
Sandier deposits from south of Weston Moor. B. Direct peat/sand interface.	
C. Intercalated biogenic and minerogenic sediments. D. Weston Moor	
biogenic mud sequence	138
Figure 5.2: Location of the biogenic muds, associated variations and	
boundary deposits	139
Figure 5.3: Known extent of Pleistocene minerogenic deposits	
on the Gordano Valley floor	140
Figure 5.4: Clay deposits in the Gordano Valley. A. Soft light blue	
clay found on Weston Moor. B. Stiff blue-grey clay, mainly	
found on Clapton Moor	141
Figure 5.5: Known extent of soft clay deposits on Weston Moor	
and stiff, dense clay on Clapton Moor	141
Figure 5.6: Surfer® contour plots of the Pleistocene surface. A. Weston	
Moor (North). B. Weston Moor (South). C. Clapton Moor	142
Figure 5.7: Three-dimensional Surfer® plots of the minerogenic surface	
of the Gordano Valley. A. Weston Moor (North). B. Weston Moor (South).	
C. Clapton Moor	145
Figure 5.8: Locations of key sections	150
Figure 5.9: Sections 1 and 2	151
Figure 5.10: Sections 3 and 4	153
Figure 5.11: Summary fence diagram of Sections 2, 3 and 4 showing	
main geometries of Weston Moor sediments	155
Figure 5.12: Sections 5 and 6	156
Figure 5.13: Sections 7 and 8	157
Figure 5.14: Summary fence diagram of Sections 7 and 8 showing	
main geometries of Clapton Moor sediments	159

Chapter 6 The stratigraphy and sedimentology of the Pleistocene minerogenic sediments of the Gordano Valley

Figure 6.1: A. Stratigraphy of core PG; stratigraphic units are shown on	
the left. B. Sand filled crack at boundary between PG4 and PG3. C.	
Wood fragment (arrowed) and associated orange mottling in PG3. D.	
Silt folded into fine sand in PG1	163
Figure 6.2: A. Stratigraphy of core PGA; stratigraphic units are shown	
on the left. B. Root trace in PGA11. C. Liesegang rings in PGA10.	
Root trace of PGA11 is visible at the top of the picture. D. Carbonate	
nodules (arrowed) in PGA5. Dotted line marks transition from PGA5	
(reddish brown silt) to PGA4 (yellowish red sand)	165
Figure 6.3: A. Stratigraphy of core CGA; stratigraphic units are shown	
on the left. B. Detail of iron stained root trace in CGA11. C. Palaeosol	
horizons of CGA4, CGA5 and CGA6 which become darker with	
increasing altitude. D. Rippled sand in CGA2	167
Figure 6.4: A. Stratigraphy of core CGB; stratigraphic units are shown	
on the left. B. Detail of void in CGB11. C. Soft carbonate nodule and	
Liesegang rings in CGB11. D. Dark staining of gravel clasts in CGB7,	
CGB8, CGB9 and CGB10	168
Figure 6.5: Typical carbonate nodule from CGB7 showing incipient	
desiccation cracks	169
Figure 6.6: A. Stratigraphy of core NR; stratigraphic units are shown	
on the left. Boundaries between NR25 and NR24, NR19 and NR18, NR9	
and NR8 and NR2 and NR1 are unclear and have been assigned	
gradational status on the basis of available evidence. B. Carbonate nodules	
and <i>in situ</i> organic remains (arrowed) in NR25. C. Pedogenesis in NR13,	
NR14 and NR15, showing increasingly darker colour with increased	
altitude	171

Figure 6.7: A. Stratigraphy of core CM; stratigraphic units are shown	
on the left. B. Bioturbation structure (outlined in black), subsequently	
infilled with finer material in CM10. C. Black organic material, probably	
a reed stem (white arrow) in CM6. D. Setting of voids in CM5 and CM6	
(white arrows) and detail of voids in CM5; upper void showing smooth	
internal surface and angular stone below it; a bioturbation trace lies out of	
sight behind the stone. Lower void surrounded by greenish grey	
flame-shaped laminations	172
Figure 6.8: High-angle imbricated gravel of CM3	173
Figure 6.9: A. Stratigraphy of core TG; stratigraphic units are shown on	
the left. B. Thinly bedded organic and minerogenic sediments in TG18.	
C. Laminated fine sand and silt of TG10 and detail of iron-stained ripples.	
D. Transition from shelly sands of TG8 to grey silt of TG7.	
E. Weathered coarse gravel of TG2	175
Figure 6.10: Tufa clasts from gravels of the Gordano Valley. A. Detail	
of tufa clast from PG6 showing incorporated plant material (arrowed).	
B. Tufa clast from CM3. Dark areas appear to be incorporated organic	
material, including the mould of an ostracod (arrowed). C. Tufa clast	
from PGA3 with organic material protruding from the clast. D. Tufa clast	
from PGA14. E. Internal laminar structure of carbonate concretion from	
PGA14 (arrowed left). Focus of concretion formation appears to be a	
gastropod shell (arrowed right)	184
Figure 6.11: Chattermarked limestone clast	189
Figure 6.12: Calcified burrow or root trace in PG1	196
Figure 6.13: Two views of <i>in situ</i> , vertically oriented green reed stem in	
NR25	197
Figure 6.14: Some of the ostracods collected from TG7 and TG8.	
1. Limnocythere inopinata; 2. Hemicythere villosa; 3. Semicytherura sella;	
4. Robertsonites tuberculatus; 5. Leptocythere psammophila;	
6. Potamocypris zschokkei; 7. Aurila convexa; 8. Prionocypris zenkeri	199
Figure 6.15: Charophyte fragments recovered from TG7 and TG8.	
A & D. Stems. C, E & F. Oospores. B & G. Cross-section of stems	
showing the central syphon surrounded by a cortex	203

Figure 6.16: D/L values of Asx, Glx and Ala for the FAA and THAA	
fractions of the bleached Valvata piscinalis shells from TG8	
(labelled 'Weston Moor') compared with shells from other sites from	
southern England with independent geochronology	205
Figure 6.17: Stratigraphy of core TG-OSL showing locations of samples	
taken for OSL dating	206

Chapter 7 Characterisation of the Pleistocene minerogenic sediments of the Gordano Valley

Figure 7.1: Bivariate plots of sediment skewness against kurtosis	
(adapted from Tanner 1991)	211
Figure 7.2: Bivariate plots of mean particle size against sorting for	
the >4 φ fraction (adapted from Lario <i>et al.</i> 2002)	213
Figure 7.3: Bivariate plots of sediment median particle size against	
skewness (adapted from Stewart 1958)	214
Figure 7.4: Bivariate plots of sediment median particle size against sorting	216
Figure 7.5: Bivariate plots of median particle size against the particle size	
of the coarsest one percentile (adapted from Bull 1962)	218
Figure 7.6: Segment analysis of the Gordano Valley sediments	
(adapted from Tanner 1991)	221
Figure 7.7: Bivariate plot of mean sphericity against mean OPI	
(adapted from Dobkins & Folk 1970) for Gordano Valley gravels	223
Figure 7.8: Bivariate plot of $%C_{40}$ against %RA (adapted from Evans	
& Benn 2004 with additional data from Benn & Ballantyne 1993, 1994)	224
Figure 7.9: Frequency histograms of the values of the (a-b)/(a-c)	
measurements for the Gordano Valley gravels (adapted from Sneed	
& Folk 1958)	225

Chapter 8 The Pleistocene history of the Gordano Valley

Figure 8.1: Locations of dated Pleistocene sediments, altitude and ages 314

Figure 8.2: Theoretical model for deposition of hummocky moraine in	
the Gordano Valley. A. Lobe of debris-mantled stagnating ice in Gordano	
Valley. B. After melt-out of ice debris is deposited on valley floor	
resulting in hummocky topography	317
Figure 8.3: Theoretical model for intertidal salt marsh deposition of the	
Gordano Valley minerogenic sediments	318
Figure.8.4: Theoretical model for braided stream deposition of hummocks	
on the valley floor. A. Detail of Gordano Valley minerogenic surface	
B. Schematic drawing of formation of depression and hummock	
topography on a braid plain. C. Cross section (Section 1) showing	
depression and hummock topography	323
Figure.8.5: LiDAR image of the Gordano Valley topography compiled	
from data supplied by the Environment Agency. Relationship of lobate	
features (black arrows) at valley margin to feeder channels (white arrows)	
is shown. A: Holly Lane. B: Walton Valley. C: Nightingale Valley.	
D: Wynhol. E: Tickenham Col. Locations of percussion cores are	
indicated by red circles	327
Figure.8.6: Theoretical model for source and flow of sediment for the	
Weston in Gordano fan. A. Flow from the high-level valley above	
Nightingale Valley (solid arrows) and flow across the fan (broken arrows).	
Contours are at 10 m intervals. B. Interfluve sediment supply for fan	329
Figure.8.7: Palaeoenvironments of the Gordano Valley. A. Muddy river.	
B. Gravel-bedded river. C. Braided stream. D. Silty-sand bedded river.	
E. Debris flow and fluvially dominated alluvial fans. F. Interconnected	
intertidal freshwater pools	331

Chapter 10 Conclusions and recommendations

Figure 10.1: A. Aerial extent of Pleistocene minerogenic sediments determined in this study. B. Hummocky surface morphology of the minerogenic sediments. C. Composite cross-valley section showing geometries of the minerogenic sediments onto which biogenic muds have been deposited

348

Figure 10.2: Composite schematic stratigraphic logs of the minerogenicdeposits of Gordano Valley showing their locations on the valley floor349

List of tables

Chapter 2 Pleistocene environmental change in Britain

Table 2.1: Definitions of Quaternary terms	7
Table 2.2: Quaternary stratigraphy of the British Isles	17
Table 2.3: Summary of key Pleistocene deposits and landforms	
in the Bristol Channel/Severn Estuary region	31

Chapter 3 Quaternary environmental change in the Gordano Valley

Table 3.1: Summary of Pleistocene environments in the Gordano Valley	56
Table 3.2: Gaps in the current understanding of the Pleistocene	
development of the Gordano Valley	63

Chapter 4 Research methodology

Table 4.1: Lithofacies identified in this study	78
Table 4.2: Guidelines used to assign sediment texture in the field	79
Table 4.3: Summary of justifications for percussion core locations	82
Table 4.4 Classification of carbonate content	90
Table 4.5 Loss on ignition for core GV	90
Table 4.6 Particle size class parameters	92
Table 4.7: Summary of particle size data for core GV	96
Table 4.8: Descriptions of particle size statistical parameters	98
Table 4.9: Clast lithological analysis of core GV gravel units	102
Table 4.10: Weathering scale for Gordano Valley sediments	103
Table 4.11: Surface features of core GV gravel clasts	104
Table 4.12: Weathered condition of clasts in core GV gravel units	105
Table 4.13: Morphology, OPI and sphericity of limestone clasts of core GV	110
Table 4.14: Roundness categories	111
Table 4.15: Roundness of limestone clasts in core GV	112
Table 4.16: Keys used in the identification of fossils	118

Table 4.17: Example of tied analytical solutions	131
Table 4.18: Environmental interpretation from analytical solutions	132
Table 4.19: Redness rating for core GV sediments	133

Chapter 5 The aerial extent, surface morphology and geometry of the Gordano Valley Pleistocene sediments

Table 5.1: Stratigraphy of biogenic mud (in descending stratigraphic order)	137
Table 5.2: Average thickness and thickness ranges of deposits	148

Chapter 6 The stratigraphy and sedimentology of the Pleistocene minerogenic sediments of the Gordano Valley

Table 6.1: Field details of percussion cores	162
Table 6.2: Summary of particle size data for core PG	176
Table 6.3: Summary of particle size data for core PGA	177
Table 6.4: Summary of particle size data for core CGA	178
Table 6.5: Summary of particle size data for core CGB	178
Table 6.6: Summary of particle size data for core NR	179
Table 6.7: Summary of particle size data for core CM	180
Table 6.8: Summary of particle size data for core TG	181
Table 6.9: Clast lithological analysis of gravel units based on percentages	
of the -2 to -5 φ fraction	182
Table 6.10: Morphology, OPI and sphericity of limestone clasts	185
Table 6.11: Roundness of limestone clasts	187
Table 6.12: Surface features of gravel clasts	188
Table 6.13: Weathered condition of clasts in gravel units based on	
percentages of the -2 to -5 ϕ fraction	190
Table 6.14: Results for loss on ignition	192
Table 6.15: Redness rating for Gordano Valley sediments	195
Table 6.16: Molluscs recovered from TG7 and TG8	198
Table 6.17: Results of analysis for ostracods	200
Table 6.18: Results of analysis for foraminifera	202

Table 6.19: Amino acid data from Valvata piscinalis shells from TG8	207
Table 6.20: Summary of optically stimulated luminescence (OSL) dating	
results for TG-OSL	207

Chapter 7 Characterisation of the Pleistocene minerogenic sediments of the Gordano Valley

Table 7.1: Preliminary assessment of depositional environments from	
particle size data (source: Reineck & Singh 1973)	210
Table 7.2: Summary of depositional environments indicated by bivariance	
of particle size moments skewness against kurtosis	212
Table 7.3: Summary of depositional environments indicated by	
bivariance of median particle size against skewness and of median	
particle size against sorting	217
Table 7.4: Summary of depositional environments indicated by	
bivariance of median particle size against the particle size of the	
coarsest one percentile	220
Table 7.5: Summary of depositional environments indicated by segment	
analysis. Units not shown plot outside the environmental parameters	222
Table 7.6: Summary of depositional characteristics from particle size	
evidence	228
Table 7.7: Summary of depositional characteristics from clast morphology	
and roundness	232
Table 7.8: Summary of inferred depositional environments	234
Table 7.9: Summary of post-depositional environments indicated by	
geochemical analysis	253

Chapter 8 The Pleistocene history of the Gordano Valley

Table 8.1: Summary of the stratigraphy, description, and inferred	
depositional and post-depositional environments of core GV	264
Table 8.2 Summary of the stratigraphy, description, and inferred	
depositional and post-depositional environments of core PG	267

Table 8.3: Summary of the stratigraphy, description, and inferred	
depositional and post-depositional environments of core PGA	270
Table 8.4: Summary of the stratigraphy, description, and inferred	
depositional and post-depositional environments of core CGA	276
Table 8.5: Summary of the stratigraphy, description, and inferred	
depositional and post-depositional environments of core CGB	280
Table 8.6: Summary of the stratigraphy, description, and inferred	
depositional and post-depositional environments of core NR	286
Table 8.7: Summary of the stratigraphy, description, and inferred	
depositional and post-depositional environments of core CM	294
Table 8.8: Summary of the stratigraphy, description, and inferred	
depositional and post-depositional environments of core TG	300
Table 8.9: Comparison of Gordano Valley ostracod and foraminifera	
assemblage with that from Boxgrove (Holmes et al. 2009)	313
Table 8.10: Classification of water and sediment flows (after: Costa 1988)	324

Chapter 9 The regional context of the Gordano Valley Pleistocene palaeoenvironments

Table 9.1: Summary of key Pleistocene deposits and landforms in the
Bristol Channel/Severn Estuary region (sources: Andrews *et al.* 1984,
Campbell & Bowen 1989, Campbell *et al.* 1998, 1999, Allen & Rippon
1997, Allen 2000b, 2001a and b, Lewis & Richards 2005, Findlay &
Catt 2006, Hunt & Haslett 2006, Westaway 2010b)
338

Chapter 10 Conclusions and recommendations

Table 10.1: Summary of Pleistocene environmental change in the GordanoValley. Dashed lines indicate temporal uncertainties. Hydroseralenvironment at 15 ka is based on Hill *et al.* (2008)352

List of equations

Chapter 4 Research methodology

4.1 The percentage > -1 ϕ and < -1 ϕ fractions of the bulk sample	
$(\%_{>-1 \phi/<-1 \phi})$	87
4.2 The oven-dry weight of each sample (W_{105})	89
4.3 Loss On Ignition at 550°C (LOI ₅₅₀)	89
4.4 Loss On Ignition at 950°C (LOI ₉₅₀)	89
4.5 Volume (V)	91
4.6 Percentage of total bulk sample ($\%_t$)	93
4.7 Percentage of sand in each phi fraction	94
4.8 Percentage silt and clay of the > -1 φ fraction (%> -1 φ)	95
4.9 Percentage of sand, silt or clay in each phi fraction of the	
$> -1 \phi$ fraction	95
4.10 Mean	97
4.11 Sorting	97
4.12 Skewness	97
4.13 Kurtosis	97
4.14 Maximum Projection Sphericity (MPS)	110
4.15 Oblate-Prolate Index (OPI)	129
4.16 Redness rating	132