

CONTENTS

1	INTRODUCTION	
1.1	Early Lifecycle Software Design	1
1.2	Computational Intelligence	5
1.3	Research Contributions	7
2	BACKGROUND	
2.1	Software Design	
2.1.1	The Design Process	10
2.1.2	Conventional Tool Support	19
2.2	Computational Intelligence Complementary to Early Lifecycle Design	24
2.3	Search Based Software Engineering	35
3	PROPOSED EVOLUTIONARY SEARCH	
3.1	Representation	42
3.2	Quantitative Fitness Functions	52
3.3	Selection	54
3.4	Crossover	55
3.5	Mutation	57
3.6	Conclusions	58
4	METHODOLOGY	
4.1	Research Aims – Revisited	59
4.2	Organization of Investigation	59
4.3	Strategy	60
4.3.1	Local Search	62
4.3.2	Global Search	63
4.3.3	Empirical Investigation	64
4.3.4	Qualitative Elegance	66
4.4	Example Software Design Problem Specifications	68
4.4.1	Cinema Booking System	68
4.4.2	Graduate Development Program	69
4.4.3	Select Cruises	71
5	EXPERIMENT: LOCAL SEARCH	
5.1	Background	74
5.2	Methodology	76

5.3	Results	77
5.4	Analysis	81
5.5	Dynamic Parameter Control	83
5.6	Methodology	87
5.7	Results	89
5.8	Analysis	98
5.9	Conclusions	102
6	EXPERIMENT: GLOBAL SEARCH	
6.1	Background	104
6.2	Methodology	105
6.3	Results	107
6.4	Analysis	108
6.5	Zone Isolator Agent	110
6.6	Methodology	111
6.7	Findings and Analysis	112
6.8	Conclusions	116
7	EXPERIMENT: EMPIRICAL INVESTIGATION	
7.1	Background	118
7.2	Software Design Problem Domain	120
7.3	Method and Empirical Investigation Design	121
7.4	Observation and Data Collection	123
7.5	Results	125
7.5.1	Duration	125
7.5.2	Software Designs Produced	125
7.5.3	Event Log	125
7.5.4	Comparison of Design Episodes	127
7.5.5	Human Experience	131
7.6	Analysis	131
7.7	Threats to Validity	133
7.8	Conclusions	133
8	EXPERIMENT: QUALITATIVE EVALUATION	
8.1	Background	135
8.2	Proposed Approach	137
8.2.1	Quantitative Elegance Measures	137

8.2.2	Role of Quantitative Elegance Measures	139
8.2.3	Elegance Agent and Dynamic Multi-objective Search	140
8.2.4	Dynamic Fitness Proportionate Interactive Interval	143
8.2.5	Overview of Proposed Approach	144
8.3	Methodology	145
8.4	Results	148
8.4.1	Baseline Elegance Investigations	148
8.4.2	Designer Interaction and the Dynamic Interactive Interval	155
8.4.3	External Coupling	159
8.4.4	Reward	161
8.4.5	Elegance and Dynamic Multi-objective Search	166
8.4.6	Human Experience	171
8.5	Conclusions	173
9	CONCLUSIONS	
9.1	Representation	177
9.2	Exploration and Exploitation of Software Design Search Space	178
9.3	Collaborative Designer / Computer Interaction	178
9.4	Elegance and Dynamic Multi-objective Localised Search	179
9.5	Overall	181
REFERENCES	183
APPENDIX A - Transcript of Baseline Design Episode of Empirical Investigation		
APPENDIX B - Transcript of Test Episode for Empirical Investigation		
APPENDIX C - Empirical Investigation: Participant Suggested Enhancements for Interactive Framework		
APPENDIX D - Representative Examples of Early Lifecycle Software Designs		
APPENDIX E – Interaction Data and Analysis for Qualitative Elegance Investigations		
APPENDIX F – Participant comments for Qualitative Elegance Investigations		
APPENDIX G – Use Case Specifications for Cinema Booking System		
APPENDIX H – Use Case Specifications for Graduate Development Program		
APPENDIX I – Use Case Specifications for Select Cruises		

LIST OF FIGURES

Figure 2.1. Model of Design Problems (Lawson, 2006)	11
Figure 2.2. Thought Process of a Designer (Roozenburg and Eekels, 1995)	14
Figure 3.1. Example Class Diagram in UML Representation	43
Figure 3.2. Example of Design Problem and Design Solution Representation	49
Figure 3.3. Example of a Design Solution Representation.....	49
Figure 3.4. UML Diagram of Design Solution Representation Structure	50
Figure 3.5. Example of Trans-Positional Crossover (TPX)	56
Figure 3.6. Examples of Mutation	58
Figure 4.1. Cinema Booking System Manual Design	68
Figure 4.2. Graduate Development Program Manual Design	70
Figure 4.3. Select Cruises Manual Design	72
Figure 5.1. Flowcharts of GA-inspired and EP-inspired Evolutionary Processes	75
Figure 5.2. Population Average COM Cohesion Fitness Curves	78
Figure 5.3. Population Average External Coupling Fitness Curves	78
Figure 5.4. Example Software Design Visualisation with Three Classes	80
Figure 5.5. Example Software Design Visualisation with Four Classes	80
Figure 5.6. Example Software Design Visualisation with Five Classes	80
Figure 5.7. Flowchart of Evolutionary Process for Local Search	85
Figure 5.8. Baseline Average Population Fitness	90
Figure 5.9. Baseline Population Average Number of Mutation Attempts	90
Figure 5.10. Baseline Average Population Mutation Probabilities	91
Figure 5.11. Annealing Average Population Fitness	92
Figure 5.12. Annealing Average Number of Mutation Attempts	92
Figure 5.13. Annealing Average Population Mutation Probabilities	93
Figure 5.14. Rechenberg Average Population Fitness	94
Figure 5.15. Rechenberg Average Number of Mutation Attempts	94
Figure 5.16. Rechenberg Average Population Mutation Probabilities	95
Figure 5.17. Self-adaptive Average Population Fitness	96
Figure 5.18. Self-adaptive Average Number of Mutation Attempts	96
Figure 5.19. Self-adaptive Average Population Mutation Probabilities	97
Figure 5.20. Average Population Fitness for CBS	100
Figure 5.21. Average Population Fitness for GDP	100

Figure 5.22. Average Population Fitness for SC	101
Figure 6.1. Non-dominated Sorting Evolutionary Algorithm	106
Figure 6.2. Typical Single Run Population after 50 Generations	107
Figure 6.3. Typical Single Run Population after 100 generations	107
Figure 6.4. Typical Single Run Population after 200 generations	108
Figure 6.5. Typical Single Run Population after 300 generations	108
Figure 6.6. Average Population Utility for Cinema Booking System	113
Figure 6.7. Average Population Utility for Select Cruises	113
Figure 7.1. Design Modes for Baseline Episode	127
Figure 7.2. Design Modes for Test Episode	127
Figure 7.3. Design Activities for Baseline Episode	128
Figure 7.4. Design Activities for Test Episode	128
Figure 7.5. Design Events for Baseline Episode	129
Figure 7.6. Design Events for Test Episode	129
Figure 8.1. Flow Chart of Dynamic Multi-objective Interactive Evolutionary Search	143
Figure 8.2. Best, Average and Worst Elegance 1 Values for CBS	149
Figure 8.3. Best, Average and Worst Elegance 2 Values for CBS	149
Figure 8.4. Best, Average and Worst Elegance 3 Values for CBS	150
Figure 8.5. Best, Average and Worst Elegance 4 Values for CBS	150
Figure 8.6. Best, Average and Worst Elegance 1 Values for GDP	151
Figure 8.7. Best, Average and Worst Elegance 2 Values for GDP	151
Figure 8.8. Best, Average and Worst Elegance 3 Values for GDP	152
Figure 8.9. Best, Average and Worst Elegance 4 Values for GDP	152
Figure 8.10. Best, Average and Worst Elegance 1 Values for SC	153
Figure 8.11. Best, Average and Worst Elegance 2 Values for SC	153
Figure 8.12. Best, Average and Worst Elegance 3 Values for SC	154
Figure 8.13. Best, Average and Worst Elegance 4 Values for SC	154
Figure 8.14. Average Number of Evolutionary Generations at Design Halting	157
Figure 8.15. Average Number of Interactions for various Interval Constant Values ..	158
Figure 8.16. Average Population Coupling for various Interval Constant Values ..	160
Figure 8.17. Average Total Reward at each Interaction for Various Values of Interval Constant with Cinema Booking System	162
Figure 8.18. Average Total Reward at each Interaction for Various Values of Interval Constant with Graduate Development Program	162

Figure 8.19. Average Total Reward at each Interaction for Various Values of Interval Constant with Select Cruises	163
Figure 8.20. Stacked Histogram of Typical Elegance Selection Weights for the Cinema Booking System, interval constant = 25	167
Figure 8.21. Stacked Histogram of Typical Elegance Selection Weights for the Graduate Development Program, interval constant = 35	168
Figure 8.22. Stacked Histogram of Typical Elegance Selection Weights for Select Cruises, interval constant = 40	168
Figure 8.23. Example 1 of Quantitative Elegance Measures during a Design Episode for Cinema Booking System, interval constant = 25	169
Figure 8.24. Example 2 of Quantitative Elegance Measures during a Design Episode for Cinema Booking System, interval constant = 25	170

LIST OF TABLES

Table 2.1. Examples of Reports of IEC and Machine Learning	34
Table 3.1. $ S $ as a function of the number of attributes, a , the number of methods, m , and the number of classes, c	52
Table 4.1. Cohesion Values of Manual Design for CBS	69
Table 4.2. Cohesion Values of Manual Design for GDP	70
Table 4.3. Cohesion Values of Manual Design for SC	73
Table 5.1. Search Average Run Times (seconds)	79
Table 5.2. Search Average Population Fitness Search Results	79
Table 5.3. Plateau Mean Population Coupling Fitness	98
Table 5.4. Cinema Booking System T-Test Actual Confidence Levels for Means	98
Table 5.5. Graduate Development Program T-Test Actual Confidence Levels for Means	99
Table 5.6. Select Cruises T-Test Actual Confidence Levels for Means	99
Table 5.7. Average Execution Time for Run of 500 Generations	102
Table 6.1. Slope and Intercept for Utility Values	113
Table 6.2. Zone Isolation Tactics Results for Cinema Booking System	115
Table 6.3. Zone Isolation Tactics Results for Select Cruises	115
Table 7.1 Observational Data	130
Table 8.1. Interaction Intervals in Generations for various Interval Constants	145
Table 8.2. Trial Participant Information	146
Table 8.3. Comparison of Average Number of Interactions for Design Problems	155
Table 8.4. T-test Actual Confidence Levels for Average Number of Interactions	156
Table 8.5. Average Number of Generations at Designer Halting for Various Values of Interval Constant	156
Table 8.6. Average Population Coupling Fitness for various Interval Constant Values	160
Table 8.7. Mean Reward for Individual Elegance Measures, Cinema Booking System	164
Table 8.8. T-test Actual Confidence Levels for Comparisons of Mean Reward for Cinema Booking System	164
Table 8.9. Mean Reward for Individual Elegance Measures, Graduate Development Program	165

Table 8.10. T-test Actual Confidence Levels for Comparison of Mean Reward for Graduate Development Program	165
Table 8.11. Mean Reward for Individual Elegance Measures, Select Cruises	165
Table 8.12. T-test Actual Confidence Levels for Comparison of Mean Reward for Select Cruises	165
Table 8.13. Evolutionary Generation Selection Weightings at Design Halting shown in Figures 9.9, 9.10 and 9.11	169

LIST OF PUBLICATIONS

This research has generated the following publications:

- Simons, C.L., Parmee, I.C. and Gwynllyw, R. (2010) "Interactive, Evolutionary Search in Upstream Object-Oriented Class Design", *IEEE Transactions on Software Engineering*, vol. 36, no. 6, pp. 798-816.
- Simons, C.L. and Parmee, I.C. (2010) "Dynamic Parameter Control of Interactive Local Search in UML Software Design", in *Proceedings of the 2010 IEEE International Conference on Systems, Man, and Cybernetics (SMC '10)*, IEEE Press, pp. 3399-3404.
- Simons, C.L. and Parmee, I.C. (2009) "An Empirical Investigation of Search-based Computational Support for Conceptual Software Engineering Design", in *Proceedings of the 2009 IEEE International Conference on Systems, Man, and Cybernetics (SMC '09)*, IEEE Press, pp. 2577-2582.
- Simons, C.L. and Parmee, I.C. (2008) "Agent-based support for interactive search in conceptual software engineering design", in *Proceedings of the 10th Annual Conference on Genetic and Evolutionary Computation (GECCO '08)*, ACM Press, pp. 1785-1786.
- Simons, C.L. and Parmee, I.C. (2008) "User-centered, evolutionary search in conceptual software design", in *Proceedings of the IEEE Congress on Evolutionary Computation CEC 2008 (IEEE World Congress on Computational Intelligence)*, IEEE Press, pp 869-876.
- Parmee, I.C., Hall, A.E., Miles, J.C., Noyes, J., Simons, C.L. and Smith, D. (2007) "Discovery in design: people-centred computational issues", in *Designing for the 21st Century: Interdisciplinary Questions and Insights*, Inns, T. Ed., Gower Publishing, UK, pp. 232 - 245.
- Simons, C.L. and Parmee, I.C. (2007) "A cross-disciplinary technology transfer for search-based evolutionary computing: from engineering design to software engineering design", *Engineering Optimisation*, vol. 39, no. 5, pp. 631 - 648.
- Simons, C.L. and Parmee, I.C., (2006), "Multi-objective genetic operators in object-oriented conceptual software design", in *Smart Systems Engineering: Proceedings of the Artificial Neural Networks In Engineering conference (ANNIE '06)*, ASME Press, pp. 73 - 78.

- Parmee, I.C., Hall, A.E., Miles, J.C., Noyes, J. and Simons, C.L. (2006) "Discovery in Design: Developing a People-centred Computational Approach", in *Proceedings of the International Design Conference - Design 2006*, Design Society, pp. 595 - 602.
- Simons, C.L. and Parmee, I.C. (2006) "A Comparison of Genetic Operators in Conceptual Software Design", in *Proceedings of the Seventh International Conference of Adaptive Computing in Design and Manufacture (ACDM '06)*, Institute for People-Centred Computation, UK, pp. 67 - 72.
- Simons, C.L., Parmee, I.C. and Coward, D.P. (2003) "35 Years On: To What Extent has Software Engineering Design Achieved its Goals?", *IEE Proceedings - Software*, vol. 150, no. 6, pp 337 - 350.