

Robotic technology for palliative and supportive care: Strengths, weaknesses, opportunities and threats

Palliative Medicine
2019, Vol. 33(8) 1106–1113
© The Author(s) 2019



Article reuse guidelines:
sagepub.com/journals-permissions
DOI: 10.1177/0269216319857628
journals.sagepub.com/home/pmj



Amara Callistus Nwosu^{1,2,3} , Bethany Sturgeon⁴, Tamsin McGlinchey²,
Christian DG Goodwin^{2,5}, Ardhendu Behera⁶, Stephen Mason²,
Sarah Stanley³ and Terry R Payne⁷

Abstract

Background: Medical robots are increasingly used for a variety of applications in healthcare. Robots have mainly been used to support surgical procedures, and for a variety of assistive uses in dementia and elderly care. To date, there has been limited debate about the potential opportunities and risks of robotics in other areas of palliative, supportive and end-of-life care.

Aim: The objective of this article is to examine the possible future impact of medical robotics on palliative, supportive care and end-of-life care. Specifically, we will discuss the strengths, weaknesses, opportunities and threats (SWOT) of this technology.

Methods: A SWOT analysis to understand the strengths, weaknesses, opportunities and threats of robotic technology in palliative and supportive care.

Results: The opportunities of robotics in palliative, supportive and end-of-life care include a number of assistive, therapeutic, social and educational uses. However, there are a number of technical, societal, economic and ethical factors which need to be considered to ensure meaningful use of this technology in palliative care.

Conclusion: Robotics could have a number of potential applications in palliative, supportive and end-of-life care. Future work should evaluate the health-related, economic, societal and ethical implications of using this technology. There is a need for collaborative research to establish use-cases and inform policy, to ensure the appropriate use (or non-use) of robots for people with serious illness.

Keywords

Robotics, technology, healthcare, palliative care, end-of-life care, supportive care

What is already known about the topic?

- Medical robots have mainly been used to support surgical procedures and for a variety of assistive uses in dementia and elderly care.
- There has been limited debate about the potential opportunities and risks of robotics in other areas of palliative, supportive and end-of-life care.

What this paper adds?

- The potential opportunities of robotics in palliative, supportive and end-of-life care include a number of assistive, therapeutic, social and educational uses.
- There is concern that robots will exacerbate healthcare inequalities, disrupt the workforce and reduce face-to-face human interaction.

¹Academic Palliative & End of Life Care Department, Royal Liverpool & Broadgreen University Hospitals NHS Trust, Liverpool, UK

²Palliative Care Institute Liverpool (PCIL), University of Liverpool, Liverpool, UK

³Marie Curie Hospice Liverpool, Liverpool, UK

⁴Bristol Robotics Laboratory, University of Bristol, Bristol, UK

⁵US-UK Fulbright Commission, London, UK

⁶Department of Computer Science, Edge Hill University, Ormskirk, UK

⁷Department of Computer Science, University of Liverpool, Liverpool, UK

Corresponding author:

Amara Callistus Nwosu, Academic Palliative & End of Life Care Department, Royal Liverpool & Broadgreen University Hospitals NHS Trust, Ground Floor, Duncan Building, Prescot Street, Liverpool L7 8XP, UK.
Email: anwosu@liverpool.ac.uk

Implications for practice, theory or policy

- Future work should evaluate the health-related, economic, societal and ethical implications of using robotic technology in palliative, supportive and end-of-life care.
- There is a need for collaborative research to establish use-cases and policy recommendations to guide the appropriate use of robots for people with serious illness.

Background

A robot is 'a reprogrammable, multi-functional manipulator designed to move materials, parts, tools, or other specialised devices through various programmed motions for the performance of a variety of tasks'.¹ Medical robots are increasingly used for a variety of applications in clinical medicine¹⁻⁴ such as laparoscopic surgery,⁵ surgical training,^{6,7} rehabilitation^{8,9} and assistive personal care.^{10,11} Furthermore, robots have been used for non-patient-oriented purposes, such as medical cleaning, automated medication delivery and transport of equipment.^{1,12} Robots have also been used for a variety of assistive uses in dementia and elderly care¹³⁻¹⁶; however, to date, there is limited debate about the potential opportunities and risks of robotics specifically related to palliative, supportive and end-of-life care.¹³⁻¹⁸ The global need for palliative care is increasing,¹⁹ more purposeful use of healthcare robots has been proposed as solution for health services to meet the needs of an increasingly frail population.²⁰ Consequently, it is essential to evaluate the benefits and risks of the development and use of robotics in this area, to ensure future policy is informed by evidence.

Aim

This article examines the possible future impacts of medical robotics within palliative, supportive and end-of-life care. Specifically, we will discuss the strengths, weaknesses, opportunities and threats (SWOT) of this technology.

Method

A SWOT analysis was undertaken to understand the strengths, weaknesses, opportunities and threats of robotic technology in palliative, supportive and end-of-life care. A SWOT approach was chosen for its ability to provide a wide narrative overview of the subject. A systematic review was not considered for the following reasons. First, there are relatively few published papers specifically about the use of robots in palliative and end-of-life care. Second, there is great heterogeneity in the published work about healthcare robotics, involving different study designs and outcome measures (e.g. social vs assistive robotics). Therefore, most meaningful analyses will likely be derived from narrow systematic reviews, which focus on specific applications of robotics in palliative care. We therefore chose the SWOT approach to provide an overview of robotics in this area. This will support the conduct

of focused systematic reviews to further explore the areas identified by this SWOT analysis.

SWOT development

Potential applications of robots in palliative care were imagined through discussion and debate, through meetings between computer scientists (T.R.P. and B.S.), a palliative care researcher (S.M.) and a clinician in palliative care (A.C.N.). A protocol was developed to explore the capabilities of a robot to exhibit human emotional responses (see supplementary files). The robot was developed (by B.S. and T.R.P.) and was presented (by A.C.N.) at a series of events which aimed to imagine the future of healthcare. The opportunities and risks of using robots to support palliative care patients and their families, and the delivery of services were discussed. These events were

1. A public engagement debate with a multi-professional audience including computer scientists, academics, clinicians, social scientists, ethicists and members of the public (University of Liverpool). Data were generated via a group discussion where feedback was recorded via flip chart paper.
2. A computer science seminar attended by computer scientists, data experts and healthcare professionals (University of Liverpool). Data were generated via a group discussion where feedback was recorded via flip chart paper.
3. An oral presentation at a dedicated robotics session at an international palliative care conference (the Association for Palliative Medicine (APM) Annual Supportive & Palliative Care (ASP) conference, Belfast, 2017²¹). Following the session, written feedback was recorded to summarise the questions, discussion and debate.

Data from these events were collated and categorised into the themes of strengths, weaknesses, opportunities and threats. The SWOT was further informed by a round table discussion at the Winter Forum of the Palliative Care Institute Liverpool, University of Liverpool. This is a multi-professional meeting involving researchers, healthcare professionals and public representatives. Forum attendees (approximately 50) were invited to participate in the round table discussion. A modified world café method²² was used to answer the question 'what are the strengths, weaknesses, opportunities and threats of robotic technology in palliative care?' The procedure involved three 20-min rounds of conversation for

rotating small groups seated around a table. A facilitator (A.C.N.) promoted discussion through open questions and a scribe (T.McG.) collected written notes. The brief was to discuss their opinions of the (1) strengths, (2) weaknesses, (3) opportunities and (4) threats of robotic technology in palliative care. In total, 15 individuals (5 lay representatives, 5 clinicians, 3 researchers and 2 nurses) voluntarily participated in the round table discussion. After completion of the group discussion, individuals were invited to share their insights with the rest of the forum attendees.

Results

A summary of the SWOT analysis is presented in Table 1.

Strengths of robotic technology

Robots can work automatically without human interference, meaning they can undertake time-saving tasks.²³ They are useful in environments that are hazardous for humans (e.g. ionising radiation or airborne diseases).²⁴ Furthermore, a robot can be standardised to ensure consistent, error-free performance, which is not affected by anxiety, fatigue and hunger.¹ Some individuals may prefer robot interactions for certain procedures, for example, for convenience (e.g. blood pressure monitoring) or to maintain privacy or avoid embarrassment (e.g. personal care). A robot does not require lengthy training or educational interventions which are necessary for human workers. For example, robots have the potential to rapidly incorporate software updates to improve performance based on best evidence, whereas for human workforces, adoption of new systems or changing practice is comparatively more challenging. Furthermore, continued technological developments will create further opportunities to integrate robotics in healthcare, for example, improvements in battery storage capacity, graphene,^{25,26} quantum computing,²⁷ fifth-generation (5G) Internet,²⁸ artificial intelligence (AI)²⁹ and Internet of things (IoT) technology.³⁰

Opportunities in palliative care

A general opportunity presented by robotics is to increase the choice and access of healthcare for patients.¹¹ Furthermore, current evidence suggests robotics can support a number of communication and assistive uses for the elderly. Such uses include applications for supporting mobility,^{31–34} activities of daily living,^{11,32–40} physical activity tracking/monitoring,^{34,41} medication management,^{37,40,42} and to support (and monitor) nutrition and hydration.^{32,40,43} For healthcare professionals, robots may improve the efficiency (and safety) of manual handling⁴⁴ and cleaning procedures.^{24,45} Robots can potentially support pharmacy processes by improving efficiency of medication dispensing.^{42,46}

Therapeutic uses for robots include the potential to improve mobility following spinal procedures^{47,48} and to improve limb rehabilitation following stroke.⁴⁹ Minimally

invasive robotic surgical procedures^{50–53} combined with nanorobotics (robots at the scale of a nanometre (10^{-9} m)) offers the potential to improve care for patients through nano-procedures (medical and surgical) which do not currently exist.^{54,55} Robots can potentially provide companionship in advanced illness. For example, elderly patients with dementia have been shown to gain therapeutic benefit from using a robotic seal (Paro) as a social companion.^{56,57} Paro may also help older adults without cognitive limitations^{58,59}; however, those with severe mental impairment are unlikely to benefit.⁶⁰

Robots also have the potential to support educational initiatives. For example, in Japan, robots have been used to support health education programmes.⁶¹ Previous studies have demonstrated that social robotics can benefit language and social development in autistic children,⁶² presenting an opportunity for robots to facilitate education in wider society to promote better understanding of palliative care. Robots also have the potential to support palliative care training for healthcare professionals by creating immersive learning environments through the use of virtual reality.⁶³ In addition, robots may enhance high-fidelity patient simulation (HPS) by improving the functional ability of the manikin to exhibit emotion, move and respond to the learner.⁶⁴

Weaknesses

Robots are expensive and require supporting infrastructure to function (e.g. Internet connection, power supply and maintenance). Consequently, the technology is currently best suited to affluent healthcare organisations. Issues regarding infection control currently limit the practicality of using robots in some healthcare environments.⁶⁵ Robots can only do tasks they are programmed to do; therefore, they are suited for specific tasks but are less useful for problem solving.² Robots generally struggle with fine motor activities which reduces their usefulness for dextrous tasks like dressing, cooking and opening doors.⁶⁶ Robots can perform repetitive tasks for long periods of time but do not get better with experience (unless this is part of their programming). Robots are unable to feel and express genuine emotion which may reduce emotional connection and contribute to fear and distrust.^{2,38,67,68} The expectations and acceptance of robots are likely to differ between patients, caregivers, designers and policy makers. It is therefore important to determine whether individuals want (and will accept) this technology in their lives.^{43,44,69}

Threats

Robots may widen inequalities in society, as certain individuals and organisations may have no access to this technology. Furthermore, there is a risk that robots may propagate unconscious bias. Evidence demonstrates

Table 1. Strengths, weaknesses, opportunities and threats of robotic technology in palliative and supportive care.

Strengths	Weakness
<ul style="list-style-type: none"> • Do not need salary. • Do not need food. • Can do repetitive tasks consistently without making errors. • Automatic: Can be programmed to move without human interference. • Does not require training and education in the same way humans do. • Strong and resilient. • Can work quickly and are unaffected by factors which may affect human performance (e.g. anxiety, hunger). • Overcomes 'human error' and poor decision making. • Standardised performance. • Opportunity for rapid adoption and improvements in software based on best evidence. • Consistent with current global priorities around robotics for health. • Improving technology (sensor-based technology, fifth-generation (5G) Internet, Internet of Things (IoT), Artificial Intelligence (AI), Big Data). • Some users may prefer robotic interactions for certain tasks. 	<ul style="list-style-type: none"> • Unable to feel and express genuine emotion and empathic response. • Limited dexterity (fine manipulation of objects is challenging). • Expensive. • Requires highly skilled maintenance. • Limited battery life. • Robots have the ability to store, access and retrieve large amounts of data, but concern they may not be as 'responsive' or 'adaptive' as the human brain. • Only effective for the job that they are programmed to do. • They can perform repetitive tasks for longer periods of time, but they do not get better with experience. • Different expectations and acceptance of robots from patients, caregivers, designers and policy makers. • Lack of trust of robots.
Opportunities	Threats
<p>General</p> <ul style="list-style-type: none"> • Greater choice and access to healthcare. <p>Assistive</p> <ul style="list-style-type: none"> • To complement tasks delivered by human. • Service purposes for patients with serious illness. • Cleaning. • To support medication dispensing process. • Monitoring Activities of Daily Living (ADL). • To monitor physical activity (e.g. sedentary behaviour). • To log various postures, movements and activities. • To record emotional well-being. • To monitor daily routine and remind if anything missed. • Manual handling in clinical settings. • Provide care to remote communities or individuals. • May facilitate people to live in the residence of their choice as they age (ageing in place). • Monitoring and supporting nutrition and hydration. <p>Therapeutic</p> <ul style="list-style-type: none"> • Surgical procedures (including nanorobotics, nanosurgery and targeted oncological therapy). • Rehabilitation. • Medication delivery systems. • May allow more choice in care. <p>Social</p> <ul style="list-style-type: none"> • Companionship. • Can foster autonomy. <p>Educational</p> <ul style="list-style-type: none"> • May help improve discussion of palliative care topics with groups, particularly children. • Can potentially help complement delivery of simulation scenarios. 	<ul style="list-style-type: none"> • Risk of anthropomorphising robotic interactions which could confuse human–robot relationship. • May result in unconscious bias due to the programming, design and function of the robot. • Fear that robots will be used to replace human interaction (e.g. less contact with family caregivers and healthcare professionals). • Inequality of access. • Concern that human workforce may be replaced, leading to job losses • Concern that use of robots may reduce patient–clinician contact and threaten the natural rapport and relationship building between healthcare professionals and patients • Investment into technological solutions at the expense of community and societal programmes. • Concern robots will worsen social isolation. • Violence. <p>Ethical issues</p> <ul style="list-style-type: none"> • Robustness and efficacy. • Safety and avoidance of harm. • Responsibility. • Unethical actions of robots. • Trust. • Moral agency. • Vulnerability and consent. • Deception. • Data privacy. • Data protection.

that the individuals involved in the development and testing of data-driven technologies are generally small and homogeneous; therefore, there is a risk that the

technology may not represent the needs of wider society.⁷⁰ Consequently, robotic systems may have implicit perceived social norms which may result in unintended

consequences.⁷¹ It is feared that robots will replace human contact and will cause job losses, leading to decreased patient-contact with healthcare professionals, and increased social isolation of the elderly.^{67,68} Such fears have resulted in violence against robots.⁷² For public health, there is concern that technological investment will replace other societal initiatives.⁶⁸ A number of ethical issues also need to be considered.^{73–75} These include concerns about the robustness and efficacy of robots to ensure human safety. It is important to determine responsibility for robots and their software, (particularly if the devices fail) to prevent breaches of data protection and confidentiality. Furthermore, this raises questions of whether robots should always follow the instruction of their masters, even if the intended actions are unlawful or harmful (e.g. facilitating use of illicit substances, euthanasia, alcohol consumption, etc.). A robot that chooses (or is programmed) to disobey its master for a particular reason (e.g. to avoid harm) may lose the trust of the operator. These issues emphasise the moral agency of robots, particularly their use with vulnerable individuals with serious illness. In addition, the use (or continued use) of robots in those who lose capacity needs further evaluation (to determine best interests) and debate around other important questions such as whether using robots as social companions (e.g. animal substitutes in dementia) is deceptive. There is also an increased threat to data privacy and protection as robots are likely to access, record and generate a large amount of personal data which could be used without the consent of the individual.⁷⁶

Discussion

Main findings and new knowledge

This article discusses the potential strengths, weaknesses, opportunities and threats (SWOT analysis) of robotic technology in palliative, supportive and end-of-life care. This narrative overview highlights opportunities for the future role of robotics in a variety of assistive, therapeutic, social and educational uses in palliative, supportive and end-of-life care. Identified threats highlighted by this article include the risk of greater social inequalities, increased social isolation, inherent unconscious bias, reduced human contact, job losses and a deleterious impact on public health.

How this work relates to current developments

There is a lack of studies which specifically examine the potential of robotics in palliative care; however, our discussion supports work from other disciplines that outline the potential of robotics in healthcare. It is important to note the political importance of healthcare robotics. For

example, China is ageing more rapidly than almost any country in recent history.⁷⁷ Currently, investment in healthcare robots is a priority for the Chinese government, who hope that robots will support economic growth.⁷⁸ Although population ageing is a global challenge, it is important to acknowledge that China's experience may not translate to other areas due to cultural, infrastructural and political differences. A notable theme throughout this article is the association between robotics and public health. There is concern that robotics will exacerbate health inequalities, disrupt the workforce and reduce face-to-face human interaction. Our discussion highlights the importance of evaluating the health-related, economic, societal and ethical implications of using technology in palliative, supportive and end-of-life care. Future forecasting needs to consider how robots will interface with other related disciplines, such as architecture, transportation and public services.

Limitations

There are a number of limitations of this analysis. First, a SWOT analysis is limited by a degree of subjectivity and a lack of ability to clearly forecast the future. This SWOT analysis does not include non-English articles. Because China drives much of the innovation in healthcare robotics, it is likely that relevant data were excluded from this article. This analysis is not a systematic review; therefore, it is possible that important data were not included. We are unable to provide conclusions about the usefulness, efficacy or effectiveness of a robot in palliative, supportive and end-of-life care.

Future opportunities and research possibilities

This article provides a foundation for future systematic reviews to study specific areas arising from this SWOT analysis. Future research should identify use-cases (a list of actions or event steps typically defining the interactions between a role and a system, in order to achieve a goal⁷⁹) for robots in palliative care. Broadly, these relate to assistive, therapeutic, social and education purposes. Research should evaluate how human factors (e.g. culture, gender and age) can influence perception, acceptance and use of robotic systems. Studies can explore opportunities to use Big Data and Artificial Intelligence in combination with robotic systems in palliative care.⁷⁶ As a priority, researchers should evaluate the long-term public health, societal, ethical and economic implications of this technology.

Conclusion

Robotics may have a number of potential applications in palliative, supportive and end-of-life care. It is imperative that future work evaluates the health-related, economic,

societal and ethical implications of using this technology. There is a need for collaborative research to establish use-cases and inform policy to ensure appropriate use of robotics for people with serious illness.

Acknowledgements

Amara Nwosu and Sarah Stanley's hospice posts are supported by Marie Curie. Amara Nwosu and Sarah Stanley's academic posts are supported by the National Institute for Health Research (NIHR) North West Coast–Clinical Research Network (CRN).

Author contributions

The author's responsibilities were as follows: Project design: A.C.N., S.M. and T.R.P. Data collection: A.C.N. and T.McG. Robot programming: B.S. and T.R.P. Paper writing: A.C.N., T.McG. and C.D.G.G. Critique and review of the final manuscript: A.C.N., B.S., T.McG., S.M., C.D.G.G., A.B., S.S. and T.R.P.

Declaration of conflicting interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship and/or publication of this article.

Ethical approval

This project did not constitute research. Therefore, ethics committee approval was not required.

Funding

The author(s) received no financial support for the research, authorship and/or publication of this article.

Supplemental material

Supplemental material for this article is available online.

ORCID iD

Amara Callistus Nwosu  <https://orcid.org/0000-0003-0014-3741>

References

1. Beasley RA. Medical robots: current systems and research directions. *J Robot* 2012; 2012: 14.
2. Ceccarelli M. Problems and issues for service robots in new applications. *Int J Soc Robot* 2011; 3: 299–312.
3. Dallaway JL, Jackson RD and Timmers PH. Rehabilitation robotics in Europe. *IEEE T Rehabil Eng* 1995; 3: 35–45.
4. Nwosu AC and Mason S. Palliative medicine and smart-phones: an opportunity for innovation? *BMJ Support Palliat Care* 2012; 2(1): 75–77.
5. Roh HF, Nam SH and Kim JM. Robot-assisted laparoscopic surgery versus conventional laparoscopic surgery in randomized controlled trials: a systematic review and meta-analysis. *PLoS ONE* 2018; 13(1): e0191628.
6. Randell R, Honey S, Hindmarsh J, et al. A realist process evaluation of robot-assisted surgery: integration into routine practice and impacts on communication, collaboration and decision-making. *Health Serv Deliv Res*. NIHR Journals Library 2017; 5(20): 1–140.
7. Pernar LIM, Robertson FC, Tavakkoli A, et al. An appraisal of the learning curve in robotic general surgery. *Surg Endosc* 2017; 31(11): 4583–4596.
8. Ona ED, Cano-de la Cuerda R, Sanchez-Herrera P, et al. A review of robotics in neurorehabilitation: towards an automated process for upper limb. *J Healthc Eng* 2018; 2018: 9758939.
9. Lefeber N, Swinnen E and Kerckhofs E. The immediate effects of robot-assistance on energy consumption and cardiorespiratory load during walking compared to walking without robot-assistance: a systematic review. *Disabil Rehabil Assist Technol* 2017; 12(7): 657–671.
10. Vandemeulebroucke T, Dierckx de Casterle B and Gastmans C. The use of care robots in aged care: a systematic review of argument-based ethics literature. *Arch Gerontol Geriatr* 2018; 74: 15–25.
11. Bilyea A, Seth N, Nesathurai S, et al. Robotic assistants in personal care: a scoping review. *Med Eng Phys* 2017; 49: 1–6.
12. Lavery H, Samadi D and Levinson A. Not a zero-sum game: the adoption of robotics has increased overall prostatectomy utilization in the United States. *J Urol* 2011; 185: e33.
13. Martín F, Agüero C, Cañas JM, et al. Robots in therapy for dementia patients. *J Phys Agents* 2013; 7: 48–55.
14. Darragh M, Ahn HS, MacDonald B, et al. Homecare robots to improve health and well-being in mild cognitive impairment and early stage dementia: results from a scoping study. *J Am Med Dir Assoc* 2017; 18(12): 1099.e1–1099.e4.
15. Huschilt J and Clune L. The use of socially assistive robots for dementia care. *J Gerontol Nurs* 2012; 38(10): 15–19.
16. Petersen S, Houston S, Qin H, et al. The utilization of robotic pets in dementia care. *J Alzheimers Dis* 2017; 55(2): 569–574.
17. Future Institute Today. 2019 tech trends report. *Future Institute Today* 2019, <https://futuretodayinstitute.com/2019-tech-trends/> (2019, accessed 14 June 2019).
18. Gov.uk. *Funding for £84 million for artificial intelligence and robotics research and smart energy innovation announced*. London: UK Government, 2017.
19. Bone AE, Gomes B, Etkind SN, et al. What is the impact of population ageing on the future provision of end-of-life care? Population-based projections of place of death. *Palliat Med* 2017; 32: 329–336.
20. National Advisory Group on Health Information Technology in England: Department of Health. Making IT work: harnessing the power of health information technology to improve care in England, 2016, <https://www.gov.uk/government/publications/using-information-technology-to-improve-the-nhs/making-it-work-harnessing-the-power-of-health-information-technology-to-improve-care-in-england>
21. Sturgeon B, Payne T, Mason S, et al. Robotic technology and palliative care education: the development of a 'nao robot' computer program. *BMJ Support Palliat Care* 2017; 7: A2–A3.
22. The World Cafe. World cafe method, <http://www.theworld-cafe.com/key-concepts-resources/world-cafe-method/#> (2018, accessed 25 April 2018).
23. Taylor RH. A perspective on medical robotics. *Proc IEEE* 2006; 94: 1652–1664.

24. Griffin WR. Where are the robots? Good and bad news for automated cleaning. *Health Facil Manage* 2001; 14(6): 42–45.
25. Núñez CG, Navaraj WT, Polat EO, et al. Energy-autonomous, flexible, and transparent tactile skin. *Adv Funct Mater* 2017; 27: 1606287.
26. Engineering and Physical Sciences Research Council (EPSRC). Graphene ‘electronic skin’ could harness solar power to return sense of touch to amputees, <https://epsrc.ukri.org/newsevents/news/grapheneskin/> (2018, accessed 7 November 2018).
27. Raudaschl A. Quantum computing and health care, <https://blogs.bmj.com/technology/2017/11/03/quantum-computing-and-health-care/> (2017, accessed 7 November 2018).
28. Palattella MR, Dohler M, Grieco A, et al. Internet of Things in the 5G era: enablers, architecture, and business models. *IEEE J Sel Area Comm* 2016; 34: 510–527.
29. House of Lords Select Committee on Artificial Intelligence. AI in the UK: ready, willing and able? 2018, <https://publications.parliament.uk/pa/ld201719/ldselect/ldai/100/100.pdf>
30. Haghi M, Thurow K and Stoll R. Wearable devices in medical Internet of Things: scientific research and commercially available devices. *Healthc Inform Res* 2017; 23(1): 4–15.
31. Gerling K, Hebesberger D, Dondrup C, et al. Robot deployment in long-term care: case study on using a mobile robot to support physiotherapy. *Z Gerontol Geriatr* 2016; 49(4): 288–297.
32. Brose SW, Weber DJ, Salatin BA, et al. The role of assistive robotics in the lives of persons with disability. *Am J Phys Med Rehabil* 2010; 89(6): 509–521.
33. Bedaf S, Gelderblom GJ and De Witte L. Overview and categorization of robots supporting independent living of elderly people: what activities do they support and how far have they developed. *Assist Technol* 2015; 27(2): 88–100.
34. Cooper RA, Dicianno BE, Brewer B, et al. A perspective on intelligent devices and environments in medical rehabilitation. *Med Eng Phys* 2008; 30(10): 1387–1398.
35. Clotet E, Martinez D, Moreno J, et al. Assistant Personal Robot (APR): conception and application of a tele-operated assisted living robot. *Sensors* 2016; 16(5): E610.
36. Werner K and Werner F. Assessing user needs and requirements for assistive robots at home. *Stud Health Technol Inform* 2015; 217: 174–179.
37. Schweitzer M and Hoerbst A. Robotic assistance in medication management: development and evaluation of a prototype. *Stud Health Technol Inform* 2016; 225: 422–426.
38. Hall AK, Backonja U, Painter I, et al. Acceptance and perceived usefulness of robots to assist with activities of daily living and healthcare tasks. *Assist Technol* 2019; 31: 133–140.
39. Katz R. Tele-care robot for assisting independent senior citizens who live at home. *Stud Health Technol Inform* 2015; 217: 288–294.
40. Korchut A, Szklener S, Abdelnour C, et al. Challenges for service robots – requirements of elderly adults with cognitive impairments. *Front Neurol* 2017; 8: 228.
41. Costa A, Martinez-Martin E, Cazorla M, et al. PHAROS – PPhysical Assistant ROBot System. *Sensors* 2018; 18(8): 2633.
42. Rantanen P, Parkkari T, Leikola S, et al. An in-home advanced robotic system to manage elderly home-care patients’ medications: a pilot safety and usability study. *Clin Ther* 2017; 39(5): 1054–1061.
43. Lukasik S, Tobis S, Wieczorowska-Tobis K, et al. Could robots help older people with age-related nutritional problems? Opinions of potential users. *Int J Environ Res Public Health* 2018; 15(11): 2535.
44. Tobis S, Cylkowska-Nowak M, Wieczorowska-Tobis K, et al. Occupational therapy students’ perceptions of the role of robots in the care for older people living in the community. *Occup Ther Int* 2017; 2017: 9592405.
45. O’Neill B. Pairing new approaches with conventional cleaning to improve hospital infection control. *Occup Health Saf* 2013; 82(8): 14–16.
46. Rodriguez-Gonzalez CG, Herranz-Alonso A, Escudero-Vilaplana V, et al. Robotic dispensing improves patient safety, inventory management, and staff satisfaction in an outpatient hospital pharmacy. *J Eval Clin Pract* 2019; 25: 28–35.
47. Holanda LJ, Silva PMM, Amorim TC, et al. Robotic assisted gait as a tool for rehabilitation of individuals with spinal cord injury: a systematic review. *J Neuroeng Rehabil* 2017; 14(1): 126.
48. Karimi MT. Robotic rehabilitation of spinal cord injury individual. *Ortop Traumatol Rehabil* 2013; 15(1): 1–7.
49. Lo K, Stephenson M and Lockwood C. Effectiveness of robotic assisted rehabilitation for mobility and functional ability in adult stroke patients: a systematic review. *JBI Database System Rev Implement Rep* 2017; 15: 39–48.
50. Sivathondan PC and Jayne DG. The role of robotics in colorectal surgery. *Ann R Coll Surg Engl* 2018; 100: 42–53.
51. Phung MC and Lee BR. Recent advancements of robotic surgery for kidney cancer. *Asian J Endosc Surg* 2018; 11(4): 300–307.
52. Wang TS and Sosa JA. Thyroid surgery for differentiated thyroid cancer – recent advances and future directions. *Nat Rev Endocrinol* 2018; 14(11): 670–683.
53. Korsholm M, Sorensen J, Mogensen O, et al. A systematic review about costing methodology in robotic surgery: evidence for low quality in most of the studies. *Health Econ Rev* 2018; 8(1): 21.
54. Brodie A and Vasdev N. The future of robotic surgery. *Ann R Coll Surg Engl* 2018; 100: 4–13.
55. Zhang Z, Li Z, Yu W, et al. Development of a biomedical micro/nano robot for drug delivery. *J Nanosci Nanotechnol* 2015; 15(4): 3126–3129.
56. Shibata T and Wada K. Robot therapy: a new approach for mental healthcare of the elderly – a mini-review. *Gerontology* 2011; 57(4): 378–386.
57. Moyle W, Jones CJ, Murfield JE, et al. Use of a robotic seal as a therapeutic tool to improve dementia symptoms: a cluster-randomized controlled trial. *J Am Med Dir Assoc* 2017; 18(9): 766–773.
58. Birks M, Bodak M, Barlas J, et al. Robotic seals as therapeutic tools in an aged care facility: a qualitative study. *J Aging Res* 2016; 2016: 8569602.
59. McGlynn SA, Kemple S, Mitzner TL, et al. Understanding the potential of PARO for healthy older adults. *Int J Hum Comput Stud* 2017; 100: 33–47.

60. Jones C, Moyle W, Murfield J, et al. Does cognitive impairment and agitation in dementia influence intervention effectiveness? Findings from a cluster-randomized-controlled trial with the therapeutic robot, PARO. *J Am Med Dir Assoc* 2018; 19(7): 623–626.
61. Ishiguro K and Majima Y. Utilization of communication robot in patient education. *Stud Health Technol Inform* 2016; 225: 913–914.
62. Pennisi P, Tonacci A, Tartarisco G, et al. Autism and social robotics: a systematic review. *Autism Res* 2016; 9(2): 165–183.
63. Bric JD, Lumbard DC, Frelich MJ, et al. Current state of virtual reality simulation in robotic surgery training: a review. *Surg Endosc* 2016; 30(6): 2169–2178.
64. Shaw PA and Abbott MA. High-fidelity simulation: teaching end-of-life care. *Nurse Educ Today* 2017; 49: 8–11.
65. Dodds P, Martyn K and Brown M. Infection prevention and control challenges of using a therapeutic robot. *Nurs Older People* 2018; 30(3): 34–40.
66. Hendrich N, Bistry H and Zhang J. Architecture and software design for a service robot in an elderly-care scenario. *Engineering* 2015; 1: 27–35.
67. Broadbent E, Stafford R and MacDonald B. Acceptance of healthcare robots for the older population: review and future directions. *Int J Soc Robot* 2009; 1: 319.
68. Cresswell K, Cunningham-Burley S and Sheikh A. Health care robotics: qualitative exploration of key challenges and future directions. *J Med Internet Res* 2018; 20(7): e10410.
69. Flandorfer P. Population ageing and socially assistive robots for elderly persons: the importance of sociodemographic factors for user acceptance. *Int J Popul Res* 2012; 2012: 829835.
70. Cath C. Governing artificial intelligence: ethical, legal and technical opportunities and challenges. *Philos Trans A Math Phys Eng Sci* 2018; 376(2133): 20180080.
71. Howard A and Borenstein J. The ugly truth about ourselves and our robot creations: the problem of bias and social inequity. *Sci Eng Ethics* 2018; 24(5): 1521–1536.
72. Bromwich JE. Why do we hurt robots? *New York Times*, <https://www.nytimes.com/2019/01/19/style/why-do-people-hurt-robots.html> (2019, accessed 11 April 2019).
73. Sharkey A and Sharkey N. Granny and the robots: ethical issues in robot care for the elderly. *Ethics Inf Technol* 2012; 14: 27–40.
74. Kortner T. Ethical challenges in the use of social service robots for elderly people. *Z Gerontol Geriatr* 2016; 49(4): 303–307.
75. Mansouri N, Goher K and Hosseini SE. Ethical framework of assistive devices: review and reflection. *Robotics Biomim* 2017; 4(1): 19.
76. Nwosu AC, Collins B and Mason S. Big Data analysis to improve care for people living with serious illness: the potential to use new emerging technology in palliative care. *Palliat Med* 2018; 32(1): 164–166.
77. World Health Organization. World population ageing. 2017, http://www.un.org/en/development/desa/population/publications/pdf/ageing/WPA2017_Highlights.pdf
78. Bland B. China's robot revolution. *Financial Times* 2016, <https://www.ft.com/content/1dbd8c60-0cc6-11e6-ad80-67655613c2d6?mhq5j=e1>
79. Cockburn A. *Writing effective use cases*. Addison-Wesley, 2001. <https://books.google.co.uk/books?id=TUZsAQAAQBAJ>